²⁰²⁵ MULE SX[™] 4x4







POWER

Engine	4-stroke, single-cylinder, OHV, air-cooled		
Displacement	401cc		
Maximum Torque	21.4 lb-ft @ 2,400 rpm		
Bore x Stroke	82.0 x 76.0mm		
Compression Ratio	8.6:1		
Fuel System	Fuel Injection		
Transmission	Continuously Variable Transmission (CVT) with (H,L,N,R)		
Final Drive	Selectable 2WD/4WD, shaft. Dual mode rear differential with differential lock		
Engine Braking	No		
Alternator Output (max)	22.9 amp		

Rear Brakes	Drum
Park Brake Type	Independent, mechanical drum
Ground Clearance	6.7 in
Fuel Capacity	4.2 gal
Turning Radius	10.8 ft
Cargo Bed Dimensions (LxWxH)	35.6 x 40.9 x 9.6 in
Cargo Bed Load Capacity	399 lb
Payload Capacity	915 lb
Seating Capacity	2
Towing Capacity	1,100 lb**
Lighting	(2) Halogen headlights, tail/brake lights

CAPABILITY

		Overall Length	106.7 in
Front Suspension / Wheel Travel	MacPherson Strut/3.1 in	Overall Width	52.6 in
Rear Suspension /	Unit Swingarm/3.1 in	Overall Height	70.9 in
Wheel Travel		Curb Weight	1,031.9 lb*
Front Tires	24 x 9-10	Wheelbase	70.1 in
Rear Tires	24 x 11-10	Instruments	Fuel gauge, hour meter, oil temp light, parking brake
Steering	Rack-and-pinion		light
Front Brakes	Drum	Color Choices	Super Black, Grayish Blue

DETAILS



*Curl **Re All M KAW

*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).
**Requires optional hitch

All MULE SX[™] Series side x side's Rollover Protective Structure (ROPS) meets the performance requirements of SAE J1194. KAWASAKI CARES: Read Owner's Manual and all on-product warnings. Always wear protective gear appropriate for the use of this vehicle. Never operate under the influence of drugs or alcohol. Protect the environment. The Kawasaki MULE™ side x side is an off- highway vehicle only, and is not designed, equipped or manufactured for use on public streets, roads or highways. Obey the laws and regulations that control the use of your vehicle. ©2025 Kawasaki Motors Corp., U.S.A.

Specifications subject to change. Visit Kawasaki.com for full product details.